

**Annex "A"**  
**Group 3: Printers**

<b>Group 3: Printers</b>					
	<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Unit Price</b>	<b>Model Number</b>
1.1 Black Printer	3.1.1	Black Laser Printer Option #1 – Lexmark Three Years Warranty	1	\$210	E360DN
	3.1.2	Black Laser Printer Option #2 – KyoceraMita Three Years Warranty	1	\$455	FS-3920DN
	3.1.3	Black Laser Printer Option #3 - KyoceraMita Three Years Warranty	1	\$584	FS-4020DN
	3.1.4	Black Laser Printer Option #4 - KyoceraMita Three Years Warranty	1	\$986	FS-6970DN
	3.1.5	Black Laser Printer Option #5 – Lexmark Three Years Warranty	1	\$1558	W850DN
1.1 Color Printer	3.2.1	Color Laser Printer Option #1 - KyoceraMita Three Years Warranty	1	\$290	FS- C5350DN
	3.2.2	Color Laser Printer Option #2 - Lexmark Three Years Warranty	1	\$1034	C792DTN
	3.2.3	Color Laser Printer Option #3 – Lexmark Three Years Warranty	1	\$1221	C925DE
	3.2.4	Color Laser Printer Option #4 – Lexmark Three Years Warranty	1	\$1382	C935DN

Delivery Period: 2 to 4 Weeks

## Annex "A" Group 3: Printers

*Item #: 3.1.1*



### **E260DN**

**This network-ready laser with built-in duplex printing delivers accelerated performance for demanding small workgroups.**

Description	
<b>Printing</b>	
Print Technology	Monochrome Laser
Print Speed (A4, Black):	Up to 40 ppm
Time to First Page (Black)	As fast as 6.5 seconds
Print Resolution, Black	1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi
Memory	128 MB
Maximum Monthly Duty Cycle	Up to 80000 pages per month
<b>Paper Handling</b>	
Paper Handling Standard	150-Sheet Output Bin Integrated Duplex Single Sheet Exit 250-Sheet Input Tray 50-Sheet Multipurpose Feeder
<b>Starter Toner</b>	
2,300-page Starter Toner Cartridge	
<b>General</b>	
Page Format	A4
Processor	400 MHz
Dimensions (H x W x D)	260 x 406 x 370 mm.
Weight (kg)	13.83 kg
Standard Ports	Centronics IEEE 1284 Bidirectional Parallel, USB 2.0 Specification Hi-Speed Certified

## Annex "A"

### Group 3: Printers

Item #: 3.1.2



**FS-3920DN**

With an excellent 40 pages per minute, an integrated network interface and duplex functionality, the FS-3920DN is the perfect device for workgroups.

Description	
<b>Printing</b>	
Print Technology	KYOCERA ECOSYS Laser
Print Speed (A4, Black): Up to	40 ppm
Time to First Page (Black)	Approx. 10.5 seconds
Warm-up time	Approx. 17 seconds or less from power on
Print Resolution, Black	1200 x 1200 dpi
Memory	Standard 128 MB RAM
Maximum Monthly Duty Cycle	Max. 200,000 pages A4 per month
<b>Paper Handling</b>	
Paper Handling Standard	100-sheet multi-purpose tray 500-sheet universal paper cassette Duplex as standard Output: 500-sheet-face-down with paper full sensor
<b>Starter Toner</b>	
7,500-page Starter Toner Cartridge	
<b>General</b>	
Page Format	A4
Dimensions (W x D x H)	382 mm x 394 mm x 320 mm
Weight (kg)	16.7 kg
Standard Ports	High-speed bi-directional parallel (IEEE 1284), USB 2.0 (Hi-Speed), USB Host Interface dedicated for USB Flash Memory device, Fast Ethernet 10Base-T/100Base-TX, Slot for optional internal print server or hard disc Slot for optional CompactFlash®-Card

## Annex "A"

### Group 3: Printers

Item #: 3.1.3



#### FS-4020DN

Up to 45 pages per minute, excellent paper management and comprehensive security functionality As a real power performer the FS-4020DN is the perfect partner in your network.

Description	
<b>Printing</b>	
Print Technology	KYOCERA ECOSYS Laser
Print Speed (A4, Black): Up to	45 ppm
Time to First Page (Black)	Approx. 9 seconds
Warm-up time	Approx. 17 seconds or less from power on
Print Resolution, Black	1200 x 1200 dpi
Memory	Standard 128 MB RAM
Maximum Monthly Duty Cycle	Max. 250,000 pages A4 per month
<b>Paper Handling</b>	
Paper Handling Standard	100-sheet multi-purpose tray 500-sheet universal paper cassette Extra 500-sheet :PF-310 Paper feeder Duplex as standard Output: 500-sheet-face-down with paper full sensor
<b>Starter Toner</b>	
10,000-page Starter Toner Cartridge	
<b>General</b>	
Page Format	A4
Processor	PowerPC 440/667 MHz
Dimensions (W x D x H)	382 x 394 x 320 mm
Weight (kg)	16.8 kg
Standard Ports	High-speed bi-directional parallel (IEEE 1284), USB 2.0 (Hi-Speed), USB Host Interface dedicated for USB Flash Memory device, Fast Ethernet 10Base-T/100Base-TX, Slot for optional internal print server or hard disc Slot for optional CompactFlash®-Card

## Annex "A"

### Group 3: Printers

Item #: 3.1.4



#### FS-6970 DN


The FS-6970DN is the ideal solution for workgroups that require a wide variety of output sizes up to A3. Furthermore, this teamplayer knows to impress with comprehensive security features and ECOSYS Longlife Technology for exceptionally low cost per page.

Description	
<b>Printing</b>	
Print Technology	KYOCERA ECOSYS Laser
Print Speed (A4, Black): Up to	35 ppm
Print Speed (A3, Black): Up to	17 ppm
Time to First Page (Black)	Approx. 9 seconds
Warm-up time	Approx. 15 seconds or less from power on
Print Resolution, Black	1200 x 1200 dpi
Maximum Monthly Duty Cycle	Max. 150,000 pages A4 per month
<b>Paper Handling</b>	
Paper Handling Standard	100-sheet multi-purpose tray 250-sheet universal paper cassette Extra 2x250-sheet :PF-340 Paper feeder Duplex as standard Output: 250-sheet-face-down with paper full sensor
<b>Starter Toner</b>	
7,500-page Starter Toner Cartridge	
<b>General</b>	
Page Format	A3/A4
Dimensions (W x D x H)	469 mm x 395 mm x 285 mm
Weight (kg)	19.5 kg
Standard Ports	High-speed bi-directional parallel (IEEE 1284), USB 2.0 (Hi-Speed), USB Host Interface dedicated for USB Flash Memory device, Fast Ethernet 10Base-T/100Base-TX, Slot for optional internal print server or hard disc Slot for optional CompactFlash®-Card

## Annex "A"

### Group 3: Printers

Item #: 3.1.5



#### W850DN

A departmental superstar, with exceptional reliability, input capacity, 11 x 17 paper support and optional finishing.

Description	
Printing	
Print Technology	Monochrome Laser
Print Speed (A4, Black): Up to	50 ppm
Time to First Page (Black)	As fast as 6 seconds
Print Resolution, Black	1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi
Memory	256 MB
Maximum Monthly Duty Cycle	Up to 300000 pages per month
Paper Handling	
Paper Handling Standard	500-Sheet Output Bin Duplex Unit Two 500-Sheet Trays 100-Sheet Multipurpose Feeder
Starter Toner	
35,000-page Starter Toner Cartridge	
General	
Page Format	A3/A4
Dimensions (H x W x D)	508 x 641 x 520 mm
Weight (kg)	45.6 kg
Standard Ports	One Internal Card Slot Gigabit Ethernet (10/100/1000) Hi-Speed USB Port Compatible with USB 2.0 Specification (Type B) Front Hi-Speed USB Port Compatible with USB 2.0 Specification (Type A) Rear Hi-Speed USB Port Compatible with USB 2.0 Specification (Type A)
Duplex	Yes

## Annex "A"

### Group 3: Printers

Item #: 3.2.1



#### FS-C5350DN

Highly productive and very economical, the compact FS-C5350DN colour printer combines speed and excellent colour quality with intelligent network and security features. This highly efficient combination of features fulfils the demands of busy offices and workgroups.

\Description	
<b>Printing</b>	
Print Technology	KYOCERA ECOSYS Colour Printer
Print Speed (A4, Blackand Color): Up to	30 ppm
Time to First Page (Black)	As fast as 8.5 seconds
Print Resolution, Black	600x600 dpi - Multi-Bit Technology for print quality of up to 9,600 x 600 dpi.
Memory	256 MB
Maximum Monthly Duty Cycle	Up to 100,000 pages per month
<b>Paper Handling</b>	
Paper Handling Standard	250-sheet face-down Output Double-side Duplex printing as standard 150-sheet multipurpose tray 500-sheet universal paper cassette
<b>Starter Toner</b>	
5,000-page color (CMY) starter Toner Cartridges 6,000-page Black starter Toner Cartridge	
<b>General</b>	
Page Format	A4
Processor	PowerPC 750CL/ 600 MHz
Dimensions (H x W x D)	345 x 518 x 480 mm
Weight (kg)	29.5 kg
Standard Ports	USB 2.0 (Hi-Speed), USB Host Interface dedicated for USB, Flash Memory device, FastEthernet (10/100BaseTX), Slot for optional internal print server or hard disc, Slot for optional CompactFlash*-Card
Duplex	Yes

## Annex "A"

### Group 3: Printers

Item #: 3.2.2



#### C792DE

The C792de combines a robust design, exceptional media handling, two-sided printing and an intuitive color touch screen to deliver your workgroup brilliant color laser printing.

Description	
<b>Printing</b>	
Print Technology	Color Laser
Print Speed (A4, Black): Up to	47 ppm
Time to First Page (Black)	As fast as 8 seconds
Print Resolution, Black	1200 x 1200 dpi , 4800 Color Quality (2400 x 600 dpi)
Memory	512 MB
Maximum Monthly Duty Cycle	Up to 150,000 pages per month
<b>Paper Handling</b>	
Paper Handling Standard	500-Sheet Output Bin Integrated Duplex 100-Sheet Multipurpose Feeder 550-Sheet Input Tray
<b>Starter Toner</b>	
11,000-page color (CMY) starter Toner Cartridges 8,500-page Black starter Toner Cartridge	
<b>General</b>	
Page Format	A4
Processor	1.2 GHz
Dimensions (H x W x D)	515 x 566 x 512 mm
Weight (kg)	50 kg
Standard Ports	USB 2.0 Specification Hi-Speed Certified (Type B) Front USB 2.0 Specification Hi-Speed Certified Port (Type A) Rear USB 2.0 Specification Hi-Speed Certified Port (Type A) Ethernet 10/100/1000 BaseTX (RJ-45)
Duplex	Yes

## Annex "A"

### Group 3: Printers

Item #: 3.2.3



#### C925DE

The Lexmark C925de color printer delivers outstanding A3 color printing, easy-to-use features and productivity solutions, all through an affordable, compact design.

Description	
<b>Printing</b>	
Print Technology	Color Laser
Print Speed (A4, Black): Up to	31 ppm
Time to First Page (Black)	As fast as 9 seconds
Print Resolution, Black	1200 Image Quality 600 x 600 dpi
Memory	256 MB
Maximum Monthly Duty Cycle	Up to 200,000 pages per month
<b>Paper Handling</b>	
Paper Handling Standard	150-Sheet Input Tray 250-Sheet Output Bin Integrated Duplex 250-Sheet Input Tray 50-Sheet Multipurpose Feeder
<b>Starter Toner</b>	
7,500-page color (CMY) starter Toner Cartridges 8,500-page Black starter Toner Cartridge	
<b>General</b>	
Page Format	A3/A4
Dimensions (H x W x D)	420 x 622 x 557 mm
Weight (kg)	48.3 kg
Standard Ports	USB 2.0 Specification Hi-Speed Certified (Type B) Front USB 2.0 Specification Hi-Speed Certified Port (Type A) Ethernet 10/100/1000 BaseTX (RJ-45)
Duplex	Yes

## Annex "A" Group 3: Printers

Item #: 3.2.4



**C935DTN**

Network-ready with duplex and 11 x 17 support, it's a stellar color solution for in-house savings.

Description	
<b>Printing</b>	
Print Technology	Color Laser
Print Speed (A4, Black): Up to	45 ppm
Time to First Page (Black)	As fast as 5 seconds
Print Resolution, Black	2400 Image Quality
Memory	512 MB
Maximum Monthly Duty Cycle	Up to 200,000 pages per month
<b>Paper Handling</b>	
Paper Handling Standard	Integrated Duplex 100-Sheet Multipurpose Feeder 520-Sheet Input Tray 520-Sheet Drawer Stand with Cabinet
<b>Starter Toner</b>	
12,000-page color (CMY) starter Toner Cartridges 13,000-page Black starter Toner Cartridge	
<b>General</b>	
Page Format	A3/A4
Processor	1.25 GHz
Dimensions (H x W x D)	854 x 650 x 710 mm
Weight (kg)	114.3 kg
Standard Ports	One Internal Card Slot USB Direct interface on Operator Panel Gigabit Ethernet (10/100/1000) Hi-Speed USB
Duplex	Yes